Author Index

Adlard, M. W., see Donaldson, M. J. 347
Agrawal, S.
——, Tang, J. Y. and Brown, D. M.
Analytical study of phosphorothioate analogues of oligodeoxynucleotides using high-performance liquid chromatography 396
Alishoev, V. R., see Berezkin, V. G. 85
Anashkina, A. A., see Balyatinskaya, L. N. 107
Andreev, V., see Kovacheva, E. 79
Antisari, L. Vittori, see Ciavatta, C. 141
Aratskova, A. A., see Hradil, J. 369
Armstrong, D. W., see Li, W.-Y. 303
Balyatinskaya, L. N.
——, Anashkina, A. A., Milyaev, Yu. F., Kluchnikova, N. V., Garkavaya, N. N. and Svergu-zova, S. V.
Headspace analysis of polar compounds in air 107
Belyakova, L. D., see Hradil, J. 369
Berezkin, V. G., see Gavrichev, V. S. 59
——, Shukurova, K. N., Alishoev, V. R., Sorokina, E. Yu., Shaligin, F. G. and Gavrichev, V. S.
Sorbents with cross-linked polysiloxane phases for gas–liquid chromatography with packed columns 85
Bertolo, P. L., see Gennaro, M. C. 147
Blagodatskikh, I. V., see Tennikova, T. B. 233
Bodzek, D., see Warzecha, L. 227
Boscher, Y., see Durand, J. P. 47
Brown, D. M., see Agrawal, S. 396
Bursey, J., see Górski, T. 383
Buryan, P.
——, Nabivach, V. M. and Dmitrikov, V. P.
Structure–retention correlations of isomeric alkylphenols in gas–liquid chromatography 3
Butkiewicz, K., see Cendrowska, I. 195
Carmichael, W. W., see Meriluoto, J. A. O. 390
Cendrowska, I.
——, Drewnowska, M., Grzeszkiewicz, A. and Butkiewicz, K.
Investigation of the stability of 5-aminosalicylic acid in tablets and suppositories by high-performance liquid chromatography 195
Chevalier, A., see Dorbon, M. 33
Ciavatta, C.
——, Govi, M., Vittori Antisari, L. and Sequi, P.
Characterization of humified compounds by extraction and fractionation on solid polyvinylpyrrolidone 141
Ciecierska-Stokłosa, D., see Gorczyńska, K. 53
Collins, B. J., see Górski, T. 383
Conrad-Kessel, W., see Wolf, B. A. 325
Cserhati, T.
——, Szejtli, J. and Szogyi, M.
Charge-transfer chromatographic study on inclusion complex formation between two hydroxypropyl-β-cyclodextrins and some chlorophenols 255
Czerwińska-Bil, U., see Gawdzik, B. 135
Dahlem, A. M., see Meriluoto, J. A. O. 390
Dmitrikov, V. P., see Buryan, P. 3
Donaldson, M. J.
—— and Adlard, M. W.
Analysis of δ-L-α-aminoadipyl-L-cysteinyl-D-valine by ion chromatography and pulsed amperometric detection 347
Dorbon, M.
—— and Chevalier, A.
On-line chromatography with capillary columns and temperature programming. Determination of traces of 2-butenes in 1-butene and analysis of a reformate 33
——, see Durand, J. P. 47
Drdák, M., see Karovičová, J. 283
Drewnowska, M., see Cendrowska, I. 195
Durand, J. P.
——, Boscher, Y. and Dorbon, M.
On-line chromatographic analyser for determining the composition and octane number of reforming process effluents 47
Eriksson, J. E., see Meriluoto, J. A. O. 390
Filipović, B., see Sokolić, M. 189
Frisina, G., see Testoni, F. 101
Fügedi, A., see Horváthová, M. 213
Ganchev, G., see Konacheva, E. 79
Garkavaya, N. N., see Balyatinskaya, L. N. 107
Gavrichev, V. S.
——, Voloshina, N. V., Berezkin, V. G., Korolev, A. A., Malisova, A. D., Okhotnikov, B. P. and Simongauz, S. E.
Gas chromatographic analysis of light hydrocarbons using aluminium oxide micro-packed columns 59
——, see Berezkin, V. G. 85
Gawdzik, B.
——, Gawdzik, J. and Czerwińska-Bil, U.
Use of polymeric sorbents for the off-line preconcentration of priority pollutant phenols from water for high-performance liquid chromatographic analysis 135
Gawdzik, J., see Gawdzik, B. 135

Gennaro, M. C.
—— and Bertolo, P. L.
Simultaneous determination of nitrites, nitrates and amines by ion-interaction reversed-phase high-performance liquid chromatography. Application to lagoon water 147
Goehl, T. J., see Górski, T. 383
Gorbunov, A. A., see Tennikov, M. B. 213
Gorczyńska, K.
——, Kreczmer, T., Ciercierska-Skokłosa, D. and Utnik, A.
Long-term use of liquid-crystalline stationary phase for separation and determination of polynuclear aromatic hydrocarbons in carbochemical products. Comparison of results obtained by different methods 53
Górski, T.
——, Goehl, T. J., Jameson, C. W., Collins, B. J., Bursey, J. and Moseman, R.
Gas chromatographic determination of 2-ethylhexanol and 2-ethylhexanoic acid as derivatives suitable for electron-capture and nitrogen-phosphorus detection after single reaction with heptafluorobutyrylimidazole 383
Govi, M., see Ciavatta, C. 141
Grzeszkiewicz, A., see Cendrowska, I. 195
Guglya, E. B.
—— and Zhukhovitskii, A. A.
Liquid chromatography of liquid substances characterized by limited solubility in the eluent 157
Harada, K.-I., see Meriluoto, J. A. O. 390
Heidrich, S., see Zobel, H. 27
Helms, M., see Zobel, H. 27
Horváthová, M.
——, Šoltés, L., Mislovičova, D., Žúbor, V. and Fügedi, A.
High-performance gel permeation chromatography of water-soluble β-1,3-glucans 213
Houngbedji, N.
—— and Waisser, K.
Chromatographie en couche mince sur gel de silice avec double imprégnation ascendante à sens inversés à l'huile de silicone 400
Hradil, J.
——, Švec, F., Aratskova, A. A., Belyakova, L. D. and Orlov, V. I.
Separation of cations using methacrylate-based low-capacity cation exchangers 369
Hutta, M.
——, Marák, J. and Kaniansky, D.
Some possibilities of combining high-performance liquid chromatography with isotachophoresis for the trace determination of ionogenic compounds present in complex matrices 271
Ivanova, I., see Kovacheva, E. 79
Jameson, C. W., see Górski, T. 383
Jin, H. L., see Li, W.-Y. 303
Kal'chenko, O. I.
—— and Svitel'sky, W. P.
Determination of resin and fatty acids in pulp and paper mill effluents and white waters by gas–liquid chromatography 65
Kaniansky, D., see Marák, J. 287
——, see Hutta, M. 271
Karageorgiev, D., see Neicheva, A. 263
Karovičová, J.
——, Drdák, M. and Polonský, J.
Utilization of capillary isotachophoresis in the determination of organic acids in food 283
Kluchnikova, N. V., see Balyatinskaya, L. N. 107
Konoushlieva, M., see Kovacheva, E. 79
Korolev, A. A., see Gavrichev, V. S. 59
Kovacheva, E.
——, Ganchev, G., Neicheva, A., Ivanova, I., Konoushlieva, M. and Andreev, V.
Gas chromatographic determination of sterols in fat-soluble concentrates obtained from plant materials 79
——, see Neicheva, A. 263
Kratchanov, Ch.
—— and Popova, M.
Increasing the purity of polyuronic sorbents 239
Kraus, G., see Soják, L. 93
Kraus, A., see Soják, L. 93
Kreczmer, T., see Gorczyńska, K. 53
Krupčík, J., see Liška, I. 123
Kubinec, R., see Soják, L. 93
Kuthan, A., see Liška, I. 123
Lasa, J.
—— and Śliwka, I.
Applications of gas chromatography with electron-capture detection to trace analysis of halogenated compounds 115
Laštinec, J., see Marák, J. 287
Lehmann, A., see Zobel, H. 27
Li, W.-Y.
——, Jin, H. L. and Armstrong, D. W.
2,5-Di-O-pentyl-3-O-trifluoroacetyl cyclodextrin liquid stationary phases for capillary gas chromatographic separation of enantiomers 303
Liška, I.
——, Kuthan, A. and Kurpčík, J.
Comparison of sorbents for solid-phase extraction of polar compounds from water 123
Lu, P.
——, Zou, H. and Zhang, Y.
Effects of molecular structure on parameters *a*, *b* and *c* in the fundamental retention equation 171
Madajová, V., see Marák, J. 287

Malisova, A. D., see Gavrichev, V. S. 59
Marák, J., see Hutta, M. 271
——, Laštinec, J., Kaniansky, D. and Madajová, V.
Computer-assisted choice of electrolyte systems and spacing constituents for two-dimensional capillary isotachophoresis 283
Mareš, P., see Řezanka, T. 333
Meriluoto, J. A. O.
——, Eriksson, J. E., Harada, K.-I., Dahlem, A. M., Sivonen, K. and Carmichael, W. W.
Internal surface reversed-phase high-performance liquid chromatographic separation of the cyanobacterial peptide toxins microcystin-LA, -LR, -YR, -RR and nodularin 390
Milyaev, Yu. F., see Balyatinskaya, L. N. 107
Mislovičova, D., see Horváthová, M. 213
Moseman, R., see Górski, T. 383
Munich, J., see Uchytil, B. 111
Nabivach, V. M., see Buryan, P. 3
Nakamura, H.
—— and Okuyama, T.
Gas chromatographic and mass spectral determination of aloenin in skin-care cosmetics 377
Neicheva, A., see Kovacheva, E. 79
——, Kovacheva, E. and Karageorgiev, D.
Simultaneous determination of insecticides, acaricides and fungicides by thin-layer chromatography 263
Nesterova, I. P.
Analysis of some synthetic insect pheromones by gas–liquid chromatography 69
Okhotnikov, B. P., see Gavrichev, V. S. 59
Okuyama, T., see Nakamura, H. 377
Orlov, V. I., see Hradil, J. 369
Ostrovský, I., see Soják, L. 93
Pacáková, V., see Wang, H. 245
Petrova, Ye. I., see Vigdergauz, M. S. 15
Pietrzyk, D. J., see Yuan, D. 357
Piwowar, Z., see Warzecha, L. 227
Pokorny, M., see Sokolić, M. 191
Polonský, J., see Karovičová, J. 283
Popova, M., see Kratchanov, Ch. 233
Řezanka, T.
—— and Mareš, P.
Preparative separation of sphingolipids and of individual molecular species by high-performance liquid chromatography and their identification by gas chromatography–mass spectrometry 333
Sequi, P., see Ciavatta, C. 141
Shaligin, F. G., see Berezkin, V. G. 85
Shukurova, K. N., see Berezkin, V. G. 85
Simongauz, S. E., see Gavrichev, V. S. 59
Sivonen, K., see Meriluoto, J. A. O. 390
Skvortsov, A. M., see Tennikov, M. b. 213
Śliwka, I., see Lasa, J. 115
Soják, L.
——, Ostrovský, I., Kubinec, R., Kraus, G. and Kraus, A.
High-resolution gas chromatography with liquid crystal glass capillaries. XI[a]. Separation of isomeric C_8 and C_9 hydrocarbons 93
Sokolić, M.
——, Filipović, B. and Pokorny, M.
High-performance liquid chromatographic procedures in monitoring the production and quality control of chlortetracycline 189
Šoltés, L., see Horváthová, M. 213
Sorokina, E. Yu., see Berezkin, V. G. 85
Štulík, K., see Wang, H. 245
Švec, F., see Hradil, J. 369
——, see Tennikova, T. B. 233
Sverguzova, S. V., see Balyatinskaya, L. N. 107
Svitel'sky, W. P., see Kal'chenko, O. I. 65
Szejtli, J., see Cserhati, T. 255
Szogyi, M., see Cserhati, T. 255
Tang, J. Y., see Agrawal, S. 396
Tennikov, M. B., see Tennikova, T. B. 233
——, Gorbunov, A. A. and Skvortsov, A. M.
Determination of polymer polydispersity by gel permeation chromatography 219
Tennikova, T. B.
——, Blagodatskikh, I. V., Švec, F. and Tennikov, M. B.
Phase transition chromatography of polyesters on macroporous glycidyl methacrylate–ethylene dimethacrylate copolymers 233
Testoni, F.
—— and Frisina, G.
Qualitative analysis of a commercially available phenol–formaldehyde resin, by static and dynamic headspace analysis using a mass-selective detector 101
Turk, J., see Wolf, B. A. 325
Uchytil, B.
—— and Munich, J.
Simple device for the determination of volatile chlorinated hydrocarbons in water by gas chromatography 111
Utink, A., see Gorczyńska, K. 53
Vigdergauz, M. S.
—— and Petrova, Ye. I.
Even–odd alternation effect in the regularities of chromatographic retention 15
Vittori Antisari, L., see Ciavatta, C. 141
Voloshina, N. V., see Gavrichev, V. S. 59
Waisser, K., see Houngbedji, M. 400

Wang, H.
——, Pacáková, V. and Štulík, K.
Ion-exchange high-performance liquid chromatographic separation of peptides with UV photometric and electrochemical detection 245
Warzecha, L.
——, Piwowar, Z. and Bodzek, D.
Gel permeation chromatography for the determination of the molecular mass distribution of some industrial proteins 227
Wolf, B. A.
——, Conrad-Kessel, W. and Turk, J.
Long-chain fatty alcohol quantitation in subfemtomole amounts by gas chromatography–negative ion chemical ionization mass spectrometry. Aplication to long-chain acyl coenzyme A measurement 325
Yuan, D.
—— and Pietrzyk, D. J.
Separation and indirect detection of small-chain peptides using chromophoric mobile phase additives 357
Zeman, I.
Chromatographic separation of surfactants. XII. Quantification of results in trial high-performance liquid chromatography of ethoxylated surfactants 201
Zhang, Y., see Lu, P. 171
Zhukhovitskii, A. A., see Guglya, E. B. 157
Zobel, H.
——, Helms, M., Heidrich, S. and Lehmann, A.
Quantitative structure-type analysis of hetero compounds-hydrocarbon mixtures. Analysis of S-heterocyclics and ketones from brown coal tars 27
Zou, H., see Lu, P. 171
Zúbor, V., see Horváthová, M. 213